

WAC LIGHTING

VENTRIX

Suspended Channels

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

ORDER NUMBER

System	Model	Length		Finish
S2	CPS01	1 ft Suspended Channel	Direct and/or Indirect Compatible Connected Power Unit Required	BK Black
	CPS01.5	1.5 ft Suspended Channel		WT White
	CPS04	4 ft Suspended Channel		
	CPS06	6 ft Suspended Channel		
	CPS08	8 ft Suspended Channel		
	CPS12	12 ft Suspended Channel		

Example: **S2CPS08-BK** Each section comes with two matching end caps and may be cut at end run.

PRODUCT DESCRIPTION


The only lighting, power, and control system complete with lighting elements designed for discriminating performance. Configure VENTRIX for your retail, restaurant, commercial office, or residential lighting plan without custom lead times - get exactly what you want, when you want it.

FEATURES

- Heavy duty grade 48VDC channel with data bus.
- Operating Current: Max circuit is rated 12.5A
- Magnetic infrastructure allows you to slide elements within the VENTRIX and adjust lighting effects while powered
- Black copper bus bars for power and communications
- 5 Year warranty

SPECIFICATIONS

Construction:	Extruded aluminum with solid copper alloy bus bars
Input:	48 VDC
Mounting:	Suspended
Finish:	Electrostatically Powder Coated White, Black
Standards:	UL, cUL, Dry Location Listed




FINISHES



Black White

LINE DRAWING



wacighting.com

Phone (800) 526.2588

Fax (800) 526.2585

Headquarters, East Manufacturing Facility

44 Harbor Park Drive

Port Washington, NY 11050

South East Manufacturing Facility

1600 Distribution Ct

Lithia Springs, GA 30122

Central Manufacturing Facility

1700 South J Elmer Freeway, Ste 100

Cedar Hill, TX 75104

West Manufacturing Facility

1750 S Archibald Ave

Ontario, CA 91761

WAC LIGHTING

VENTRIX

Suspended Channels

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

CHANNEL COVER

	Accessories	Model	Finish	
	Channel Cover 8ft 8ft length may be field cut, Suitable for top or bottom channel coverage.	S2C-COV08	BK WT	Black White

Example: **S2C-COV08-BK**

TRIG

	Accessories	Model	Finish	
	Trig with Feed Includes 96in feed wire, and 2 channel connectors. Suspension Hardware sold separately. Aircraft cable only.	S2CPS-FTRIG	BK WT	Black White
	Trig Includes 2 channel connectors. Suspension Hardware sold separately. Stem and Aircraft cable compatible.	S2CPS-TRIG	BK WT	Black White
	Adapter Additional Trig connectors	S2CPS-NADP	BK WT	Black White

Example: **S2CPS-TRIG-BK**

CONNECTORS

	Accessories	Model	Finish	
	Feed End Includes 96in feed wire and 6 wire guides	S2CP-FE	BK WT	Black White
	I Connector with Feed Includes 96in of feed wire and 6 wire guides	S2CP-FI	BK WT	Black White
	I Connector Joins two sections of channel with electrical continuity	S2CP-I	BK WT	Black White
	Dead I Connector Joins two sections of channel without electrical continuity	S2C-ID	BK WT	Black White
	Below Bus Bar I Connector Joins two sections of field cut channel with electrical continuity. Installs onto underside of channel bus bar for interrupted bus bar	S2C-IB	BK	BLACK
	L Connector Joins two channel sections 90°. Feed separately. I connectors sold separately.	S2CPS-L	BK WT	Black White
	T Connector Joins three channel sections. Feed separately. I connectors sold separately	S2CPS-T	BK WT	Black White

wacighting.com

Phone (800) 526.2588

Fax (800) 526.2585

Headquarters, East Manufacturing Facility

44 Harbor Park Drive

Port Washington, NY 11050

South East Manufacturing Facility

1600 Distribution Ct

Lithia Springs, GA 30122

Central Manufacturing Facility

1700 South J Elmer Freeway, Ste 100

Cedar Hill, TX 75104

West Manufacturing Facility

1750 S Archibald Ave

Ontario, CA 91761

WAC LIGHTING

VENTRIX

Suspended Channels

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

	X Connector Joins four channel sections. Feed separately. 1 connectors sold separately	S2CPS-X	BK WT	Black White
	Surface/Suspended to Recessed Trim Corner Joins suspended or surface mounted channel to recessed channel. 1 connectors sold separately.	S2CPST-IC	BK BK WT WT WT BK	Black Surface/Suspended, Black Recessed Black Surface/Suspended, White Recessed White Surface/Suspended, Black Recessed
	Surface/Suspended to Recessed Trimless Corner Joins suspended or surface mounted channel to recessed trimless channel. 1 connectors sold separately.	S2CPSL-IC	BK BK WT BK	Black Surface/Suspended, Black Recessed White Surface/Suspended, Black Recessed
	End Cap Additional end cap	S2CPS-EC	BK WT	Black White

Example: **S2CPSL-IC-BK BK**

SUSPENSION HARDWARE

Accessories	Model	Finish
 Cable Canopy Covers a standard 4in junction box. Use with cable feed connectors	S2CP-CP	BK WT Black White
 Cable Suspension Suspend channel from ceiling. Includes 96in aircraft cable; may be field cut	S2C-C96	BK NI Black Nickel
 Sloped Ceiling Cable Suspension Suspend channel from a sloped ceiling. Includes 96in aircraft cable; may be field cut	S2C-SC96	BK NI Black Nickel
 Stem Feed Suspension Suspend channel from ceiling with feed. Includes two 48in stem; may be field cut	S2C-FS96	BK WT Black White
 Stem Suspension Suspend channel from ceiling. Includes two 48in stem; may be field cut	S2C-S96	BK WT Black White
 Sloped Ceiling Stem Suspension Suspend channel from a sloped ceiling. Includes two 48in stem; may be field cut	S2C-SS96	BK WT Black White
 1/4-20 Rod Mounting Clip Support VENTRIX channel with 1/4 - 20 threaded rod (rod by others)	S2CR-CLIP	BK BLACK
 Suspension Loop Mechanical loop Supports up to 15 lb	S2C-LOOP	BK Black

Example: **S2CR-CLIP-BK**

wacighting.com

Phone (800) 526.2588

Fax (800) 526.2585

Headquarters, East Manufacturing Facility

44 Harbor Park Drive

Port Washington, NY 11050

South East Manufacturing Facility

1600 Distribution Ct

Lithia Springs, GA 30122

Central Manufacturing Facility

1700 South J Elmer Freeway, Ste 100

Cedar Hill, TX 75104

West Manufacturing Facility

1750 S Archibald Ave

Ontario, CA 91761

WAC LIGHTING

VENTRIX

Suspended Channels

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

SUSPENSION HARDWARE - GRID

Accessories	Model	Description	Finish	
 <p>Cable Suspension Suspend channel from grid ceiling. Includes 96in aircraft cable; may be field cut</p>	S2CPG1-C96	15/16" Lay-in Grid	BK	<i>Black</i>
	S2CPG2-C96	15/16" Tegular Grid		
	S2CPG3-C96	9/16" Lay-in Grid		
	S2CPG4-C96	9/16" Tegular Grid		
	S2CPG5-C96	9/16" Slot Grid		
 <p>Cable Feed Suspension Suspend and feed channel from grid ceiling. Includes 96in aircraft cable; may be field cut</p>	S2CPG1-FC96	15/16" Lay-in Grid	WT	<i>White</i>
	S2CPG2-FC96	15/16" Tegular Grid		
	S2CPG3-FC96	9/16" Lay-in Grid		
	S2CPG4-FC96	9/16" Tegular Grid		
	S2CPG5-FC96	9/16" Slot Grid		
 <p>Stem Suspension Suspend channel from grid ceiling. Includes two 48in stem; may be field cut</p>	S2CPG1-S96	15/16" Lay-in Grid	BK	<i>Black</i>
	S2CPG2-S96	15/16" Tegular Grid		
	S2CPG3-S96	9/16" Lay-in Grid		
	S2CPG4-S96	9/16" Tegular Grid		
	S2CPG5-S96	9/16" Slot Grid		
 <p>Stem Feed Suspension Suspend channel from grid ceiling with feed. Includes two 48in stem; may be field cut</p>	S2CPG1-FS96	15/16" Lay-in Grid	WT	<i>White</i>
	S2CPG2-FS96	15/16" Tegular Grid		
	S2CPG3-FS96	9/16" Lay-in Grid		
	S2CPG4-FS96	9/16" Tegular Grid		
	S2CPG5-FS96	9/16" Slot Grid		

Example: **S2CPG1-C96-BK**

wacighting.com

Phone (800) 526.2588

Fax (800) 526.2585

Headquarters, East Manufacturing Facility

44 Harbor Park Drive

Port Washington, NY 11050

South East Manufacturing Facility

1600 Distribution Ct

Lithia Springs, GA 30122

Central Manufacturing Facility

1700 South J Elmer Freeway, Ste 100

Cedar Hill, TX 75104

West Manufacturing Facility

1750 S Archibald Ave

Ontario, CA 91761

WAC LIGHTING

VENTRIX

Suspended Channels

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

BUILD IT

CHOOSE YOUR CHANNELS AND CONNECTORS

- Power feed from end with S2CP-FE, the middle with S2CP-FI, or from the TRIG with S2CPS-FTRIG to energize your run.
- Support VENTRIX with cable or stem suspensions. Minimum two supports per up to 8ft sections. Minimum three supports per 12ft section.
- For patterns, use the TRIG or L,T,X connectors. TRIG connector can accept as few as two and as many as six connections. Order additional TRIG connectors as needed. TRIG and L,T connectors have a switch to maintain pattern polarity.

Note: VENTRIX is field cut at end of run or between channels using below bus bar connector S2C-IB-BK. For patterns and custom length channels, consult factory.

CHOOSE YOUR ELEMENTS AND/OR INDIRECT LIGHTING ELEMENTS

Note: Suspended VENTRIX is compatible with indirect lighting by default.

- Refer to element specifications to appropriately select elements
- Total the wattage of the system

CHOOSE YOUR CONNECTED POWER UNIT (CPU)


- Select remote mount or surface CPU
- Select appropriate wattage based on total system wattage.

Note: recommended sizing up as feasible for increased system capability.

ACCESSORIZE

- Add channel covers, lenses, or glare control accessories as desired.

A	S2CPS04	4FT SUSPENDED CHANNEL	F	S2C-FS96	STEM FEED SUSPENSION
B	S2CPS12	12FT SUSPENDED CHANNEL	G	S2C-S96	STEM SUSPENSION
C	S2CP-FE	FEED END	H	S2CPS-TRIG	TRIG
D	S2C-C96	CABLE SUSPENSION	I	S2CPU-R320-S-BK	REMOTE CPU
E	S2CP-CP	CABLE CANOPY	J	BY OTHERS	FIELD WIRING TO CPU



wacighting.com

Phone (800) 526.2588

Fax (800) 526.2585

Headquarters, East Manufacturing Facility

44 Harbor Park Drive

Port Washington, NY 11050

South East Manufacturing Facility

1600 Distribution Ct

Lithia Springs, GA 30122

Central Manufacturing Facility

1700 South J Elmer Freeway, Ste 100

Cedar Hill, TX 75104

West Manufacturing Facility

1750 S Archibald Ave

Ontario, CA 91761